



Silli College, Silli

TENDER DOCUMENT

For

Procurement of Various Items

Under RUSA scheme

Tender No. SCS/RUSA/15/24

Date- 15/06/2024

This page is intentionally left blank



Silli College, Silli

(A Permanent Affiliated College Under Ranchi University, Ranchi)
Vill+Post- Tutki Nawadih, PS- Silli, Dist Ranchi-835102

Website: sillicollege.org Email- Sillicollege1980@gmail.com

TENDER NOTICE

The **Principal, Silli College, Silli** invites tenders from the eligible bidders for the supply of various items for the project be under **RUSA** Scheme in 2 separate envelopes. The tender document may be downloaded from the college official website i.e. sillicollege.org


Principal


(Notice Inviting Tender)

Silli College, Silli

Vill+Po- Tutki Nawadih, Ps- Silli, Dist- Ranchi 835102


S.No	Name of the office inviting Tenders	Principal, Silli College, Silli
1.	Name of Work	Procurement of Various Items under RUSA Scheme
2.	EMD of Tender to be deposited for each package(Refundable)	Rs. 50,000/-
3.	Tender Cost (Non Refundable)	Rs. 2000/-
4.	Date of issue of Tender Document	15/06/2024
5.	Last Date of Submission of Tender Paper	06/07/2024 till 1:00pm
6.	Date of Opening of Tender	06/07/2024 at 3:00pm
7.	Tender No.	SCS/RUSA/15/24
8.	Detail of Demand Draft (D.D)	In favor of Silli College, Silli

The tender can be downloaded from the website of the silli college i.e. sillicollege.org or can be procured from the office of the College


Principal 15/06/2024
Prof. Incharge
(Silli College, Silli) Silli College Silli
Ranchi

PART-I
ELIGIBILITY CRITERIA AND GENERAL TERMS & CONDITIONS
FOR TENDERERS

1. The bids shall be submitted in **two separate envelopes** marked as **Technical Bid** and **Financial Bid** and put in third envelop. All envelopes should be addressed to The Principal, Silli College, Silli. The Tender number and date should be mentioned on the envelopes. Properly sealed tender should be submitted in the office of the undersigned either in person or by registered post on or before **06/07/2024** till 01:00 pm. **Tender received after due date and time, whatever be the reason, will be rejected/not accepted.**
2. The technical bid must be submitted with the Tender Cost and Earnest Money Deposit (EMD) mentioned in the NIT. Failing to this, the bid will be summarily rejected.
3. Tender Cost (Rs. 2,000/-) and EMD (Rs. 50,000/-) shall be submitted in the form of Demand Draft favoring 'Silli College, Silli' payable at Silli.
4. The bidder should be a Proprietorship Firm/Partnership firm/Company. No consortium is allowed. Relevant declaration in the support of this statement must be submitted.
5. Only manufacturer(s) or their sole authorized distributor/ supplier are eligible to bid. Tender Specific Authorization letter from Original Equipment Manufacturer (OEM) in favor of authorized supplier to bid/ negotiate/conclude the order against this tender must be enclosed with the bid.
6. The bidder shall submit a certificate notarized by Notary Public with the tender that the firm has not been debarred/ blacklisted for any reason/ period by any central/ state govt. dept./ University/ PSU etc. Concealment of facts shall not only lead to cancellation of the order but may warrant legal action.
7. PAN & GST registration certificates are to be submitted with the Technical bid.
8. The Bidder should be registered with GST for the last 3 years. The certified copies of GST Registration Certificate, with latest GST return copy are to be enclosed with the bid. (submit self-attested documents).
9. Bidder should have the registration in Government E-marketplace (GeM). A documentary evidence in this regard shall be submitted along with the bid.
10. Annual Average Turnover of the bidder should be Rs. 2 Crores and above in the last 3 Financial years and should have been audited by a chartered accountant (The Audited Balance Sheets mentioning their turnover shall be enclosed with a Covering letter of CA mentioning UDIN of the certificate).
11. The Income tax return for the last 3 years shall be enclosed.
12. The Firm submitting Tender should have a minimum experience of three consecutive years of supply in College/University/Higher Educational institutions of Jharkhand. The following documents are permissible as documentary evidence of 3 years experience:
 - a. Self-attested copies of work experience certificates issued from the concerned institutions; or
 - b. Self-attested copies of Work Orders and invoice raised against the same; or




c. Contract of GeM orders and their Consignee Receipt and Acceptance Certificate (CRAC).

13. The Bidder Should have a Single Order of 30 Lakh and above or two order of 40 Lakh and above of Same related product from College / University / Higher Education Institute of Jharkhand and Should be not less than 3 year old.
14. The firm should not be banned by the Government and the product should not be health hazardous. (An undertaking should be submitted along with the tender paper.)
15. The Bidder should have an ISO 9001:2015 Certificate accredited by the National Accreditation Board for Certification Bodies (NABCB).
16. The OEM of the furniture items should have valid membership of BIFMA and should possess BIFMA Compliance / BIFMA Level 2 & Level-3 certification. The furniture Item should Be GREEN GUARD /GREEN PRO Certified. The OEM should also have at least one self-operated Showroom/Display Center in State.
17. The bidder should have their offices in Jharkhand preferably in Ranchi to provide essential on-site service to the clients. An undertaking on the company's letterhead shall be submitted along with the bid with a documentary evidence such as: Copy of Municipal Trade License/Property (Holding) Tax Certificate or GST Certificate shall be enclosed with the Bid.
18. The offers should strictly be as per the technical specifications as mentioned in Part III of the RFP. No deviation in the technical specifications shall be accepted. (Deviations are likely to render the tender non-considerable. Bidders are advised not to deviate).
19. Price must be quoted Freight on Road (F.O.R.) to Silli College, Silli, Dist- Ranchi and inclusive of all charges/taxes. Any tax will not be added after the submission of the financial bid.
20. Bidders to quote the price for each item as per the Financial Bid format of the document. Bids submitted with the Price for selective items only will be considered for rejection. No alternative/optional price for any of the items will be entertained.
21. After the award of work, the supplier shall be required to submit the performance security in the form of an irrevocable bank guarantee in the prescribed format (Annexure-B) issued by any Scheduled Commercial Bank, for an amount equal to the 3% of the order value with a validity of 3 years. The performance security will be refunded after the expiry of the aforesaid validity without any bank interest.
22. 97% payment will be made against delivery and satisfactory installation, and the balance 3% after the submission of Performance security. It is a must to submit the Performance Security within 15 days after the delivery of the ordered material otherwise the remaining 3% payment (equal to the amount of Performance Security) will be deducted from the payment against the invoice.
23. Payment shall be made after quality and quantity of items supplied is verified and certified by a competent team constituted by the college. All the payments of the supplied items will be made through the stipulated procedure of the Government of Jharkhand after the deduction of income and other admissible taxes.
24. Price must be quoted in Indian rupees inclusive of all taxes and typed in both word and figure. Typing errors or cutting must be countersigned by due initial with date. Non-compliance or overwriting will



lead to rejection of quotation.

25. Prices quoted in the bid must be valid up to 180 days from date of submission of quotation.
26. The technical bids shall be opened on 06/07/2024 at 03.00 PM in the office of undersigned. The Financial Bids of those Bidders will be opened whose technical bids meet all the required Technical specifications certified by the technical team. Work order will be given to the bidder whose total cumulative quoted price is found the lowest i.e. to L1.
27. Quantity of the items can be modified by the College as per the availability of fund.
28. Supply is to be provided within 4-6 weeks from the date of issue of order.
29. All the interested bidders are required to see Website of the college for any further change/corrigendum and proper understanding of the requirement.
30. In case of any confusion in the interpretation of any word/sentence, the decision of the tendering authority will be final.
31. The contract shall be governed by the laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such Commercial dealings/processing. Any disputes are subject to the exclusive jurisdiction of the Competent Court and Forum in Ranchi, Jharkhand, India only. The Arbitration shall be held in accordance with the provisions of the Arbitration and Conciliation Act, 1996 and the venue of arbitration shall be at Ranchi, Jharkhand. The decision of the Arbitrator shall be final and binding on both parties.
32. The college reserves the right to cancel the tender process or accept or reject any tender without assigning any reason.
33. The Technical Catalogue of the quoted product to be attached with the technical bid and same should be available on OEM website. Non-compliance shall result in rejection of tender.
34. After Successful delivery and commissioning of supplied items, the bidder has to demonstrate the feature and functions of each items and as and when requested provide essential training to the staffs of the college.
35. The college should have all the right to reject/select lowest bidders if major variations are found in make/rates of the items quoted. The college reserves the right to cancel the tender process or accept or reject any tender without assigning any reason or relax any condition at any stage of tender process.


15/06/2024
Principal
(Silli College, Silli)
Prof. Incharge
Silli College Silli
Ranchi





Part II – Essential Details of Items/ Services required

Bidders are required to furnish clause wise compliance of specifications of **each item** as mentioned in the Part-III of RFP to bringing out clearly the deviations from specification, if any. The Bidders shall submit the compliance statement in the following format along with Technical Bid :-


SN.	Para of Tender specifications item wise	Specification of item offered	Compliance to tender specification-whether Yes/No	In case of non-compliance, deviation from Tender to be specified in unambiguous terms
Name of the Item:.....				
1.				
2.				
3.				

Vimal

Haris

Part III**Minimum Technical Specifications of required items**

Sl no.	Technical Specifications of required items	Qty
1	Bench Desk Bench Frame made up of 1×1 16 gauge heavy pipe and Pre Laminated 18mm MDF board with 1mm edge bind on all the open side of the board Seat size 72" × 12", back Height 72" × 8", top size 72" × 14", Front panel 72" × 8", Book Shelf 72" × 10", height of seat from ground 17", Height of writing Top 30".	232
2	Table MATERIAL: Tabletop Material Pre laminated particle board(Wood Product) Thickness of table top material (± 1 mm) 18 mm Gable end material Pre laminated particles board (wood product) DIMENSION: Width of tabletop ±10 mm 1200 mm Depth of table ±10 mm 620 mm Height of table ±10 mm 800 mm	08
3	Chair DIMENSION: Minimum seat height from floor surface 400 mm Minimum Seat height adjustment Up to 100 mm Minimum width of seat 450 mm Minimum depth of seat 450 mm Minimum width of backrest 450 mm Backrest height Low back (350 to 450 mm) Minimum thickness of MS Plate Joining the under structure with Seat 3 mm Minimum pedestal size (diameter) 650 mm	30
4	Almirah The Almirah shall be of size 78"x36"x22". Welded construction (multiple-bend construction should be done with tack welding) made of 1.00 mm thick CRCA for Back, Shelf & 1.00 mm thick CRCA steel conforming to IS-513 quality for all other components and full height steel hinged door. One handle with locking mechanism, 5 shelves, M10 screw type leveller with hex plastic base, 4- Step - Anti - Corrosion treatment and the finish shall be of Epoxy Polyester Powder coated should be thickness of 50 microns (+/-10).	30
5	Green Board 9 mm inner particle board Frame with aluminium channel Writing material 0.6 mm thick green writable with chalk mica Backside 0.6 mm thick white melamine sheet.	12
6	Water Cooler Current(ampere) 2 Open circuit voltage 50 Volt Solar power module type 25 to 200 Watt Maximum voltage 50 Volt Cooling Capacity 150 (Litres/Hour) Power Factor(Solar Panel) 1000 Watt Storage Capacity 150 litter	01




Sl no.	Technical Specifications of required items	Qty
7	Podium DIMENSION Thickness of podium top ±2mm 5 millimetre Thickness of gable end and modesty panel ±2mm 9 millimetre Length of podium top ±10mm 600 millimetre Depth of podium ±10mm 500 millimetre Height of podium ±10mm 1100 millimetre Presenter side height ± 10mm 1050mm Dimension of leg (mm X mm) ±5mm 40mmX40mm SHELVES Width of shelves ±10mm 400mm Depth of shelves in mm (±10mm) 300mm	15
8	Smart Podium Type of frame- Metallic, supplied with a 460mm (18") detachable gooseneck condenser microphone and reading light, for the podium top. Contains a built-in Dual Channel VHF wireless receiver and two nos. of VHF wireless handheld transmitters of different frequency. Fitted with 3 nos. of 6.5" (165mm) coated dual cone speakers. Provision given for connecting external speaker, through an INT/EXT. speaker switch. Combo socket for connecting a wired microphone through a 6.3mm (1/4") phone plug or a line source through an XLR male plug. Facility for connecting an auxiliary source through a 6.3mm (1/4") phone plug.	02
9	Locker Overall Size Height : 78 inch Width : 42 inch Depth : 19 inch Doors 20 guage & Sides 22 guage MS sheet Duly painted in T-Grey shade Knob to open in each door Name slip holder in each door Locker Size Height : 11 inch Width : 9.5 inch Depth : 19 inch	03
10	Dustbin Material 100% VIRGIN HDPE Capacity Bin Capacity (Volume) 120 ltr (for Class A) Dimensions Wheel Dimension in (mm) 160	5
11	CCTV Camera (Total 16 Camera Setup)	01 Set
a)	16 Ch DVR : (01 Unit)	

Processor	Embedded processor
Operating System	Embedded LINUX
IP Camera Input	16+2, each channel up to 6MP
Two-way Talk	Reuse audio in/out, RCA
User Interface	GUI
Video Output	1 HDMI, 1 VGA

Vmm

Makto

Sl no.	Technical Specifications of required items	Qty
	Current Range	0~20A
	Rated Power	240W
	Ripple & Noise (max.)	100mVp-p
	Voltage Adj. Range	11.4~13.2V
	Line Regulation	±1.0%
	Voltage Tolerance	±2.0%
	Setup Rise time	600ms, 30ms at full load
	Hold Up Time (Typ.)	13ms at full load
	Load Regulation	±5.0%
	Temperature coefficient	±0.03%/°C (0~50°C)
	Frequency Range	47~63HZ
	Efficiency (Typ.)	0.84
	AC Current (Typ.)	5A/115VAC 3A/230VAC
	Inrush Current (Typ.)	20A/115VAC 40A/230VAC
	Leakage Current	<2mA / 240VAC
	Over Load	110~200% rated output power, Protection type: Shut down O/P, re-power
	Isolation Resistance	I/P-O/P, I/P-FG, O/P-FG:100M Ohms / 500VDC / 25°C/ 70% RH
	Working Humidity	20~90% RH Non-condensing
	Vibration	10 ~ 500Hz, 3G 10min./1 cycle,60min.each along X, Y, Z axes
	Dimension	196(L) x 114(W) x 55mm(H)
	Store temperature	-20~+85°C, 10~95%RH
	Working temperature	-20~+40°C
	Withstand Voltage	I/P-O/P: 1.5KVAC I/P-FG: 1.5KVAC O/P-FG:0.5KVAC

c) **Bullet Camera (14 Units)**

Image Sensor	1/2.7" 2.4MP PS CMOS Image Sensor(0.9407cm)
Minimum Illumination	0.02Lux/F1.9, 30IRE, 0Lux IR on
Shutter Speed	PAL: 1/25s~1/100000s ; NTSC: 1/30s~1/100000s
White Balance	Auto / Manual
Gain Control (AGC)	Auto / Manual
ICR	Auto (ICR)/Manual
Lens	3.6 mm Fixed Lens (2.8 mm, 6 mm Optional)
Max Aperture	F1.9
Auto Iris	Fixed
Lens Type	Fixed
S/N Ratio	>65dB

Vinod

Kalho

Sl no.	Technical Specifications of required items	Qty
	DORI Distance	2.8 mm: 38.6 m(Detect) 15.4m(Observe) 7.7m(Recognize) 3.9m(Identify) 3.6 mm: 49.7m(Detect) 19.9m(Observe) 9.9m(Recognize) 5m(Identify) 6 mm: 82.8m(Detect) 31.1m(Observe) 16.6m(Recognize) 8.3m(Identify)
	Back Light Compensation	BLC / HLC / DWDR
	Video Streaming	CVI: 2.4MP@25/30fps; 720P@25/30fps; 720P@50/60fps AHD: 2.4MP@25/30fps; 720P@25/30fps TVI: 2.4MP@25/30fps; 720P@25/30fps; 720P@50/60fps; CVBS: 960H
	Angle of View	2.8 mm: 119° x 101° x 54° (diagonal x horizontal x vertical) 3.6 mm: 100° x 84° x 45° (diagonal x horizontal x vertical) 6 mm: 60° x 56° x 30° (diagonal x horizontal x vertical)
	IR Range	IR Range of 20 Mtr.
	Casing	Plastic throughout the whole casing
	Operating Temperature	-40°C to +60°C (-40°F to 140°F); <95% (non-condensation)
	Power Source	12V DC ±30%
	Power Consumption	Max 3.1W (12V DC, IR on)
	Weatherproof Standard	IP67

d) Dome Camera (02 Units)

Image Sensor	1/2.7" 2.4MP PS CMOS Image Sensor(0.9407cm)
Minimum Illumination	0.02Lux/F1.9, 30IRE, 0Lux IR on
Effective Pixels	2.4MP
BodyType	Dome
Shutter Speed	PAL: 1/25~1/100000s NTSC: 1/30~1/100000s
White Balance	Auto / Manual
Lens	3.6mm (2.8mm Optional)
Gain Control (AGC)	Auto / Manual
Angle of View	2.8 mm: 119° x 101° x 54° (diagonal x horizontal x vertical) 3.6 mm: 100° x 84° x 45° (diagonal x horizontal x vertical)
S/N Ratio	>65dB
Back Light Comp.	BLC / HLC / DWDR

Sl no. **Technical Specifications of required items** **Qty**

Video Streaming	CVI: 2.4MP@25/30fps; 720P@25/30fps; 720P@50/60fps AHD: 2.4MP@25/30fps; 720P@25/30fps TVI: 2.4MP@25/30fps; 720P@25/30fps; 720P@50/60fps; CVBS: 960H
Video Output	Video output choices of CVI/TVI/AHD/CVBS by one BNC port
ICR	Auto(ICR)/Color/B/W
IR Range	IR Range of 20 Mtr.
Operating Temperature	-40°C to +60°C (-40°F to 140°F); <95% (non-condensation)
Power Source	12V DC ±30%
Power Consumption	Max 3.1W (12V DC, IR on)
Weatherproof Standard	IP50

e) 3+1 Wire (10 Units)

Material	Annealed Bare Copper
Diameter	.52 ± .02mm
Cable Length	90 Mtrs.
Diameter	0.100 ± .002mm (Power Core)
Conductor	Annealed Bare Copper
Insulation	LLDPE

f) 4 U Rack (01 Unit)

Wall Mount Modular Rack 4U Size ; with acrylic glass door; Lock n key

g) Hard Disk Drive (01 Unit)

1 TB SATA Surveillance HDD

h) Other Essential Accessories, Installation and Commissioning (Lumpsum)

BNC & DC Connectors, PVC Box, USB Cord, HDMI Cable, Extension Board (as required) with Complete Installation and Commissioning

12 Digital Board

05


DISPLAY SYSTEM	(a) Display Size , Surface & Technology
	<ul style="list-style-type: none"> • Min. 75 inch (Diagonal) • Hardened surface with Anti Scratch & Anti Glare Surface • LED with min. 60 Hz refresh rate • Resolution: 3840 x 2160 (Min.) (for Landscape) • Aspect Ratio: 16:9 • Viewing Angle Range (Min.) : 176° (Horizontal) to 176° (Vertical)
	(b) Operating Specs:
	<ul style="list-style-type: none"> • Power Supply : 240 V ; 50 Hz • Operating temp : 0° C to 50° C • Operating Humidity: 10% to 80% • Wall Mountable
	(c) Audio
	<ul style="list-style-type: none"> • Inbuilt speakers (10 W x 2) (10 W – Minimum for each speaker)

Sl no.

Technical Specifications of required items

Qty

	<p>(d) Remote</p> <ul style="list-style-type: none"> Remote Controller (Full functional; remote with batteries)
TOUCH SYSTEM	<p>(a) Type : Infra-Red based</p> <p>(b) Inputs for Touch : Finger, Gloved Fingers, Opaque Objects / Touch Pens</p> <p>(c) No. of touch pens (with suitable tray/pen holder) : Qty 2</p> <p>(d) Touch Scan Rate : 50 Scans / sec (Min.)</p> <p>(e) Touch Points : Multi touch (Min. 10 Touch Points)</p> <p>(f) (Response Time : less than 15 msec</p> <p>(g) Touch accuracy : ± 2 mm (Over 90% Area)</p>
I/O SYSTEM	<p>(a) HDMI (ver 2.0) - Min.2 ports</p> <p>(b) RJ 45 – Min 1 Port (with 5 m Patch Cable)</p> <p>(c) Wi-Fi (802.11 b/g/n/ac) with Hotspot feature</p> <p>(d) HDMI output (with cable to connect external monitor/ device)</p> <p>(e) USB (2.0) – Min. 2 Ports + USB (3.0) – Min. 1 Port</p>
EMBEDDED SYSTEM & SOFTWARE	<p>(a) Hardware :</p> <ul style="list-style-type: none"> (Min) Quad Processor based SoC (Processor = 1.7 GHz or Higher) Main Memory : 4 GB or Higher Internal Storage : 32 GB or Higher Slot for Open Pluggable System (OPS)/ mini PC <p>(b) Operating System:</p> <ul style="list-style-type: none"> Android / Linux / Open Source based O.S. (Latest Version) <p>(c) Software Apps (Pre-loaded)</p> <ul style="list-style-type: none"> Content Management Systems & Apps to support Writing, Drawing, Eraser, Screen Capture, Video Player, Recording, File & Folder Manager, Storage Management, Print, Email, etc. Web browser Screen Sharing (Mira Cast) / (Google Cast) Factory Resetting Security features – Pin based and / or Password based. Over the Air update of Apps & O.S. Appropriate App Store (Repository) of Google Play Services (GPS)/ equivalent Apps for viewing / display of PDF & Window format files.
CERTIFICATIONS	BIS (Indian), CE, FCC, RoHS, E-Waste Management, NABL accredited Test Lab Reports
WARRANTY	5 years comprehensive on-site warranty
<p>Note : The specifications mentioned above shall not be meet with the help/population of Open Pluggable System (OPS). The bidders are advised to take into this account and prepare their proposal accordingly.</p>	




Annexure- A

TENDER CONDITIONS ACCEPTANCE LETTER

(To be given on Company's Letter Head)

Date :.....

To

SUB : ACCEPTANCE OF TERMS & CONDITIONS OF TENDER

Tender Reference No : _____


Name of Tender/ Work : _____

Dear Sir,

1. I/We have obtained the tender document(s) for the above mentioned "Tender/Work" from the office as per your advertisement in press/website.
2. I/We hereby certify that I/ we have read entire terms and conditions of the documents including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I/we shall abide hereby the terms/conditions/clauses contained therein.
3. The corrigendum(s) issued from time to time by your department/ organizations too have also been taken into consideration, while submitting this acceptance letter.
4. **I /We hereby unconditionally accept the tender conditions of above mentioned tender document(s)/ corrigendum(s) in its totality/ entirety.**
5. **In case any provisions of this tender are found violated, the college shall have the right to reject this tender/bid including the forfeiture of the full said Earnest Money Deposit absolutely and we shall not have any claim/right against the college.**

Yours Faithfully

(Signature of the Bidder, with official seal)



Annexure-B

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

The Principal

Silli College, Silli

WHEREAS.....(Name and address of the Supplier) (hereinafter called "the Supplier") has undertaken, in pursuance of contract no.....dated (hereinafter called "the contract") to supply.....

AND WHERE AS it has been stipulated by you in the said contract that the Supplier shall furnish you with a bank guarantee by a scheduled nationalized bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with and due performance of the contract;

AND WHERE AS we have agreed to give the Supplier such a bank guarantee;

NOW THEREFORE we here by affirm that we are guarantors and responsible to you, on behalf of the Supplier, up to a total of..... (amount of the guarantee in words and figures), and we hereby irrevocably and absolutely undertake to pay you immediately, upon your first written demand declaring the Supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We here by waive the necessity of your demanding the said debt from the Supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the Supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.



The Bank guarantee shall be interpreted in accordance with the laws of India. The Guarantor Bank represents that this Bank Guarantee has been established in such form and with such content that is fully enforceable in accordance with its terms as against the Guarantor Bank in the manner provided herein.

The Bank Guarantee shall not be affected in any manner by reason of merger, amalgamation, restructuring or any other change in the constitution of the Guarantor Bank or the Supplier. The Bank further undertakes not to revoke this Guarantee during its currency except with the previous express consent of the Buyer in writing.

The Bank declares that it has power to issue this Guarantee and discharge the obligations contemplated herein, the undersigned is duly authorized and has full power to execute this Guarantee for an on behalf of the Bank.


This guarantee shall be valid up to and including the.....day of.....,20.....

.....

(Signature with date of the authorized officer of the Bank)

..... Name and designation of the officer

..... Seal, name & address of the Bank and address of the Branch



Annexure – C

FINANCIAL BID FORMAT

Sl no.	Particulars	Required Qty	UoM	Unit Cost (in INR)	Total (in INR)
A	B	C	D	E	F=(CxE)
1.	Bench Desk	232	Nos.		
2.	Table	08	Nos.		
3.	Chair	30	Nos.		
4.	Almirah	30	Nos.		
5.	Green Board	12	Nos.		
6.	Water Cooler	01	Nos.		
7.	Podium	15	Nos.		
8.	Smart Podium	02	Nos.		
9.	Locker	03	Nos.		
10.	Dustbin	05	Nos.		
11.	CCTV Camera (16 Camera Setup)	01	Set		
12.	Digital Board	05	Nos.		
TOTAL Amount in Figures					
Total Amount in Words:-					

Note:

- The Bidder shall quote composite price inclusive of supply, Installation, Testing, Commissioning, Training & all Taxes for each of the Items.
- The Bidder Shall Strictly follow the technical specifications of all the items as per Part III of the tender document.
- If there will be any deviation with the amount mentioned in Figures and Words, the latter one will be considered as final.

Signature:

Name & Designation:

Company seal:

Date:

Bidder Name & Address:

Vomraj

Harish

END OF DOCUMENT

Vinod

Mahato